

## Contents

<b>1 Routine/Function Prologues</b>	<b>2</b>
1.0.1 LIS_pcpforcing_FTable (Source File: LIS_pcpforcing_FTable.c) . . . . .	2
1.0.2 registerpget (Source File: LIS_pcpforcing_FTable.c) . . . . .	2
1.0.3 glbprecip (Source File: LIS_pcpforcing_FTable.c) . . . . .	2
1.0.4 register_defnatpcp (Source File: LIS_pcpforcing_FTable.c) . . . . .	2
1.0.5 defNatResPcp (Source File: LIS_pcpforcing_FTable.c) . . . . .	2
1.0.6 registerpti (Source File: LIS_pcpforcing_FTable.c) . . . . .	2
1.0.7 timeinterppcp (Source File: LIS_pcpforcing_FTable.c) . . . . .	3

## 1 Routine/Function Prologues

### 1.0.1 LIS\_pcpforcing\_FTable (Source File: LIS\_pcpforcing\_FTable.c)

Function table implementation for different observed precipitation forcing options

---

### 1.0.2 registerpget (Source File: LIS\_pcpforcing\_FTable.c)

Registers the routines to open and read model forcing

INTERFACE:

```
void FTN(registerpget)(int *i,void (*func)())
```

---

### 1.0.3 glbprecip (Source File: LIS\_pcpforcing\_FTable.c)

Delegates the routine to open and read the appropriate model forcing

INTERFACE:

```
void FTN(glbprecip)(int *i)
```

---

### 1.0.4 register\_defnatpcp (Source File: LIS\_pcpforcing\_FTable.c)

Registers the functions that defines the native domain for observed precipitation products

INTERFACE:

```
void FTN(registerdefnatpcp)(int *i, void (*func)())
```

---

### 1.0.5 defNatResPcp (Source File: LIS\_pcpforcing\_FTable.c)

Delegates the routine to open and read the appropriate model forcing

INTERFACE:

```
void FTN(defnatrespcp)(int *i)
```

---

### 1.0.6 registerpti (Source File: LIS\_pcpforcing\_FTable.c)

Registers the routines to temporally interpolate precipitation forcing routines

INTERFACE:

```
void FTN(registerpti)(int *i,void (*func)())
```

---

### 1.0.7 timeinterppcp (Source File: LIS\_pcpforcing\_FTable.c)

Delegates the routine to temporaly interpolate radiation forcing

INTERFACE:

```
void FTN(timeinterppcp)(int *i)
```